

Api docs

Contents

Data Structures	2
Delegates	2
Services	2
GetASTofSourceTreeService	2
Description	2
API	2
dependencies	2
WalkTreeService	2
Description	2
API	2
dependencies	2
GenerateAstService	2
Description	2
API	2
dependencies	3
Repositories	3
Utilities	3
Glue	3
TheClass	3
API	3
fields	3
TheClass	3
API	3
fields	3
Generate	3
API	3
SourceFileNode	3
API	3
fields	4

AbstractHackNode	4
API	4
GenerateAST	4
API	4
SourceTreeNode	4
API	4
fields	4

Data Structures

Delegates

Services

GetASTofSourceTreeService

Description

gets the AST of the source tree

extract AST from a source tree

API

- `StringBuilder apply(Path rootPath)`

dependencies

- `WalkTreeService`
- `GenerateAstService`

WalkTreeService

Description

API

- `apply(File rootConsumer<File> consumer)`

dependencies

GenerateAstService

Description

API

- `apply(Path pathAppendable appendable)`

- RootNode apply(Path path)

dependencies

- PmdParsingExternalComponent

Repositories

Utilities

Glue

TheClass

API

fields

- [] theField

TheClass

API

fields

- [] theField

Generate

API

- main(args)
- Class<Supplier<StringBuilder>> getGeneratorByName(String className)

SourceFileNode

API

- String getPath()
- String getXPathNodeName()
- Node getChild(index)
- getNumChildren()

fields

- [] Node child
- [] String path

AbstractHackNode

API

- TextRegion getTextRegion()
- DataMap<DataKey<» getUserMap()
- Node getParent()
- getIndexInParent()

GenerateAST

API

- main(args)

SourceTreeNode

API

- Node getChild(index)
- getNumChildren()
- String getXPathNodeName()
- addChild(SourceFileNode child)
- AstInfo<> getAstInfo()

fields

- [] List<SourceFileNode> children